

Freeform Search

Database: US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: parylene\$ same transducer

Display: 50 Documents in Display Format: TI Starting with Number 1

Generate: ☐ Hit List ☒ Hit Count ☐ Image

Search

Clear

Help

Logout

Interrupt

Main Menu

Show S Numbers

Edit S Numbers

Preferences

Search History

Today's Date: 12/5/2000

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT,JPAB,EPAB,DWPI,TDBD	parylene\$ same transducer	39	<u>L7</u>
USPT,JPAB,EPAB,DWPI,TDBD	parylene\$ near2 membrane\$	9	<u>L6</u>
USPT,JPAB,EPAB,DWPI,TDBD	parylene\$ near2 diaphragm\$	0	<u>L5</u>
USPT,JPAB,EPAB,DWPI,TDBD	parylene\$ same (acoustic or microphone or speaker or piezoelectric\$)	26	<u>L4</u>
USPT,JPAB,EPAB,DWPI,TDBD	parylene\$ same (acoustic or transducer or mems or micromachin\$ or diaphragm or membrane or cantilever or microphone or speaker or piezoelectric\$)	113	<u>L3</u>
DWPI,USPT,EPAB,JPAB,TDBD	parylene\$ same (acoustic or transducer or mems or micromachin\$ or etch\$ or diaphragm or membrane or cantilever or microphone or speaker or piezoelectric\$)	332	<u>L2</u>
DWPI,USPT,EPAB,JPAB,TDBD	((216/2)!.CCLS.) and parylene\$	7	<u>L1</u>

[Help](#)
[Logout](#)
[Interrupt](#)
[Main Menu](#)
[Search Form](#)
[Posting Counts](#)
[Show S Numbers](#)
[Edit S Numbers](#)
[Preferences](#)

Search Results -

Terms	Documents
(29/594 or 381\$.ccls.) and parylene\$	3

Database:

- US Patents Full Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search History

Today's Date: 12/5/2000

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
DWPI,USPT,EPAB,JPAB,TDBD	(29/594 or 381\$.ccls.) and parylene\$	3	<u>L1</u>

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	2985	381/184.ccls. or 381/173.ccls. or 381/394.ccls. or 381/395.ccls. or 381/423.ccls. or 381/190.ccls. or 381/191.ccls. or 381/426.ccls. or 181/164.ccls. or 181/167.ccls or 181/158.ccls.	USP AT; EPO; JPO; Derwent; IBM TDB	2000/12/07 09:40
2	L2	1	1 and parylene	USP AT; EPO; JPO; Derwent; IBM TDB	2000/12/07 09:40
3	L3	1	1 and parylene\$	USP AT; EPO; JPO; Derwent; IBM TDB	2000/12/07 09:40

	Type	Hits	Search Text	DBs	Time Stamp
17	BRS	347	29/594.ccls.	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 17:19
18	BRS	31	29/594.ccls. and (etch\$ or micromachin\$ or mems)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 17:30
19	BRS	12898	381/150-433.ccls.	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 17:35
20	BRS	0	381/150-433.ccls. and parylene4	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 17:35
21	BRS	1	381/150-433.ccls. and parylene\$	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 17:36
22	BRS	207	381/150-433.ccls. and (etch\$ or micromachin\$ or mems)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 18:35

	Comments	Error Definition	Errors
17			0
18			0
19			0
20			0
21			0
22			0

	Type	Hits	Search Text	DBs	Time Stamp
23	BRS	39	381/150-433.ccls. and ((etch\$ or micromachin\$ or mems) same silicon\$)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/12/05 18:41

	Comments	Error Definition	Errors
23		Truncation Overflow. Return string from Server is: 5`0`0`ETC	1